

Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (original): At least one machine-readable media comprising:

first program code to determine a route path through a gateway to a storage area network (SAN) for each of a plurality of addresses of an interface of a server, the first program code to determine the route path by applying an algorithm to one or more numerical values associated with the address; and

second program code to configure the gateway with the route paths.

Claim 2 (original): The media of claim 1, wherein each of the addresses comprises an interface card number, a target number, and a logical unit number (LUN) and wherein the first program code determines the route path for each of the addresses by applying the algorithm to the interface card number, the target number, and the LUN.

Claim 3 (original): The media of claim 2, wherein the first program code determines the route path by summing the interface card number, the target number and the LUN, and taking a modulo of the sum.

Claim 4 (original): The media of claim 2, wherein the first program code takes a modulo two of the sum.

Claim 5 (original): The media of claim 4, wherein the second program code configures the gateway to route to a first interface of the gateway if the modulo two of the sum is equal to zero, and otherwise configures the gateway to route to a second interface of the gateway.

Claim 6 (original): The system of claim 1, further third program code to determine the plurality of addresses based on configuration information of the server.

Claim 7 (original): A system comprising:

- a server including a first interface;

- a first gateway communicatively coupled to the first interface, the first gateway comprising a first gateway interface to a storage area network (SAN), a second gateway interface to the SAN, and first configuration information, the first gateway to route a network communication received from the first interface, based on the first configuration information, to one of the first gateway interface and the second gateway interface;

- logic, communicatively coupled to the first gateway, to determine a route path through the first gateway for each of a plurality of addresses of the first interface, the logic to determine the route path by applying an algorithm to one or more numerical values associated with the address and to configure the configuration information with the route paths; and

- a storage device comprising a first storage device interface and a second storage device interface, the first storage device interface communicatively coupled to the first gateway interface and the second storage device interface communicatively coupled to the second gateway interface.

Claim 8 (original): The system of claim 7, wherein the server further comprises a second interface and the system further comprises:

- a second gateway, communicatively coupled to the second interface and to the logic, the second gateway comprising a third gateway interface to the SAN communicatively coupled to the first storage device interface, a fourth gateway interface to the SAN communicatively coupled to the second storage device interface, and second configuration information, the second gateway to route a network communication received from the second interface based on the second configuration information to one of the third gateway interface and the fourth gateway interface; and

wherein the logic is further to determine a second route path through the second gateway for each of a plurality of addresses of the second interface by applying the algorithm to one or more numerical values associated with the address of the second interface, and to configure the second configuration information with the second route paths.

Claim 9 (original): The system of claim 7, wherein each of the addresses comprises an interface card number, a target number, and a logical unit number (LUN) and wherein the logic determines the route path for each of the addresses by applying the algorithm to the interface card number, the target number, and the LUN for each of the addresses.

Claim 10 (original): The system of claim 9, wherein the logic determines the route path for each of the addresses by summing the interface card number, the target number and the LUN, and taking the modulo two of the sum.

Claim 11 (original): The system of claim 7, further comprising:

a first switch, communicatively coupled between the first gateway interface and the first storage device interface, the first switch to route network communications received from the first gateway interface to the first storage device interface;

a second switch, communicatively coupled between the second gateway interface and the second storage device interface, the second switch to route network communications received from the second gateway interface to the second storage device interface.

Claim 12 (original): The system of claim 7, wherein the storage device comprises a disk array.

Claim 13 (original): The system of claim 7, wherein the first gateway includes a Fibre Channel to Small Computer Systems Interface (SCSI) converter.

Claim 14 (original): The system of claim 7, wherein the first interface is a SCSI card.

Claim 15 (original): A method comprising:

- determining a first address of an interface of a server and a second address of the interface of the server;

- determining a first route path for the first address by applying an algorithm to one or more numerical values associated with the first address;

- determining a second route path for the second address by applying the algorithm to one or more numerical values associated with the second address; and

- configuring a gateway between the interface and a storage area network (SAN) with the first route path and the second route path.

Claim 16 (original): The method of claim 15, wherein determining a first route path comprises applying the algorithm to an interface card number, a target number and a logical unit number (LUN) associated with the first address.

Claim 17 (original): The method of claim 16, wherein applying the algorithm comprises summing the interface card number, the target number and the LUN, and taking the modulo two of the sum.

Claim 18 (original): The method of claim 15, wherein:

- the first address comprises a first logical unit number of a first target of the interface and the second address comprises a second logical unit number of the first target;

- determining the first route path comprises determining a route path to the first interface of a storage device; and

- determining the second route path comprises determining a route path to the second interface of a storage device.

Claim 19 (original): The method of claim 15, further comprising:

receiving a third address of a second interface of the server;
determining a third route path for the third address by applying the algorithm to one or more numerical values associated with the third address; and
configuring the gateway with the third route path.

Claim 20 (original): The method of claim 15, wherein determining a first route path comprises determining an interface of the gateway to route communications received from the first address.